

Gupta *BMC Proceedings* 2015, **9**(Suppl 3):A45  
<http://www.biomedcentral.com/1753-6561/9/S3/A45>



## MEETING ABSTRACT

## Open Access

# PIPJ reconstruction after fracture including hemihamate transfer

Amit Gupta

From 10th Congress of the Asia-Pacific Federation of Societies of Surgery for the Hand and the 6th Congress of Asia-Pacific Federation of Societies of Hand Therapists  
Kuala Lumpur, Malaysia. 2-4 October 2014

Proximal interphalangeal joint fracture dislocations are challenging injuries that can be managed in a wide variety of ways. The fracture dislocations of the PIP joints are classified by their mechanical stability and the percentage of joint involved in the fracture. Fracture dislocations that remain stable with less than 30 degree of flexion of the PIP Joint and those that have less than 20% of the articular surface involvement are generally considered stable and can be treated with extension block splinting.

The methods of treatment that will be discussed in this presentation include extension block splinting, traction of various kinds, pinning, and open reduction internal fixation.

When the PIP joint is very unstable and the fracture at the base of the middle phalanx so comminuted as to be unreconstructible, the state of the art management method is to use hemi hamate transfer that was described by Hill Hastings. This method of bringing stability to an unstable joint with the use of a unique osteochondral graft has revolutionized the management of PIP fracture dislocations. In this presentation, I will discuss the indications, detailed technique and outcomes of the hemi hamate transfer for fracture dislocations with appropriate case illustrations.

Published: 19 May 2015

doi:10.1186/1753-6561-9-S3-A45

**Cite this article as:** Gupta: PIPJ reconstruction after fracture including hemihamate transfer. *BMC Proceedings* 2015 **9**(Suppl 3):A45.

**Submit your next manuscript to BioMed Central and take full advantage of:**

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at  
[www.biomedcentral.com/submit](http://www.biomedcentral.com/submit)



Department of Orthopedic Surgery, University of Louisville, Kentucky, 40292, USA



© 2015 Gupta; licensee BioMed Central Ltd. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated.